# Venue Technical Specifications



## **SMITHURST THEATRE**

The Gunnedah Smithurst Theatre was built in the 1930's and was home to Gunnedah's Dramatic Society. It was once called The Gunnedah Small Town Hall but was renamed after the Dramatic Society President Dr. Smithurst. The Smithurst is frequently used for conferences, community events, disco's, rehearsals and meetings as well as intimate theatre performances. The Smithurst features a stage, dance floor, air conditioning and heating as well as 3 phase power at the back of the stage. The Smithurst Theatre also has a commercial kitchen and 3 x dressing rooms.

Main entrance to the Smithurst Theatre is 144 Conadilly Street.









## **SMITHURST THEATRE TECHNICAL SPECIFICATIONS**

**Power**: 6 x general power outlets on the stage

1 x 3 phase power unit located at the rear of the Smithurst Stage

Audio: No audio- 2 x KSCQU 12's speakers are available for use with stands, : 2 x ATC203 Boom Mic stands

**Lighting:** 2 x sets of 6 x overhead lights as standard light bulbs

Curtaining: FOH manually operated Maroon Proscenium Curtain from Stage Left

Curtains on the rear and sides of stage

#### **Loading Bay:**

- Access via the street entrance on Conadilly Street
- Accessible ramp for cases

#### **Dressing Rooms:**

- Separate shower/toilet facilities
- Green room make up counter. Tea and coffee facilities
- Capacity to accommodate 4 artists
- Connecting facilities in the Civic for additional artists

#### **Dimensions:**

- Stage: Proscenium to front lip = 0.94m
- Curtain to stage lip = 0.8 m
- Proscenium height from stage floor= 2.160 m
- Stage to roof = 3.802 m
- Stage depth from back curtain to front lip = 4.900 m
- Front of stage to back of stage not including back curtains= 7.100m
- Inside stage width between curtains= 5.380 m
- Rear of stage behind back curtain= 3.800 m
- Side of left where manual curtain operation is located= 2.200 m and rear of stage left 1.420m